





ISOMETRIC

Sealed Sub-miniature Toggle switch
 SPECIFICATIONS
 Rating: 3A 125VAC; 1A 250VAC
 Contact Resistance: 20MΩ max
 Insulation Resistance: 500V DC 1000MΩ Min
 Dielectric Strength: 1000V AC 1 Minute
 Operating Temperature: -30°C+85°C
 Electrical Life: 20,000 cycles



RECOMMENDED P.C.B. LAYOUT

Sealed Sub-miniature Toggle switch

SPECIFICATIONS

Rating: 3A 125VAC; 1A 250VAC





Contact Resistance: 20M Ω max

Insulation Resistance: 500V DC 1000M Ω Min

Dielectric Strength: 1000V AC 1 Minute

Operating Temperature: -30°C +85°C

Electrical Life :20,000 cycles









CIRCUIT: SPDT

UNITS:mm	SHEET SIZE: A4			SCALE:---
0~3	3~18	18~50	50~120	
±0.12	±0.15	±0.3	±0.5	

DRWN BY PAN
CHK'D BY FENG
APPR BY ZHAN

Sealed Sub-miniature Rocker Toggle switch(IP67)	
THIRD ANGLE PROJECTION	RHTGYS-6A2



Sealed Sub-miniature Toggle switch SPECIFICATIONS

Rating: 3A 125VAC; 1A 250VAC

Contact Resistance: 20M Ω max

Insulation Resistance: 500V DC 1000M Ω Min

Dielectric Strength: 1000V AC 1 Minute

Operating Temperature: -30°C +85°C

Electrical Life :20,000 cycles

RHTECP[®] NINGBO RHT ELECTRONIC CO.,LTD

UNITS:mm	SHEET SIZE: A4	SCALE:---
0~3	3~18	18~50
50~120		
±0.12	±0.15	±0.3
		±0.5

DRWN BY PAN

CHK'D BY FENG




APPR BY ZHAN

Sealed Sub-miniature Rocker Toggle switch(IP67)



THIRD ANGLE PROJECTION



RHTGYS-6A3



ISOMETRIC



Sealed Sub-miniature Toggle switch
SPECIFICATIONS
Rating: 3A 125VAC; 1A 250VAC
Contact Resistance: 20M Ω max
Insulation Resistance: 500V DC 1000M Ω Min
Dielectric Strength: 1000V AC 1 Minute
Operating Temperature: -30°C +85°C
Electrical Life :20,000 cycles

RHTECP NINGBO RHT ELECTRONIC CO.,LTD

UNITS:mm	SHEET SIZE: A4		SCALE:---
0~3	3~18	18~50	50~120
±0.12	±0.15	±0.3	±0.5


DRWN BY PAN

CHK'D BY FENG

APPR BY ZHAN

Sealed Sub-miniature Rocker Toggle switch<IP67>

THIRD ANGLE PROJECTION



RHTGYS-6A4